

high pressure floors.

BERRY  ALLOC

The world's  
strongest  
floors.



high pressure floors.

For those  
'making a  
strong impact'  
moments.

<b>Our planet, our priority</b>	<b>4</b>
<b>Floors for all spaces</b>	<b>6</b>
<b>Pick a size</b>	<b>8</b>
<b>Pick a surface</b>	<b>9</b>
<b>The Collection</b>	
Original	11
Grand Avenue	16
Grand Majestic	21
<b>Made for public spaces</b>	<b>24</b>
<b>Pick your accessories</b>	<b>30</b>
<b>Technical info</b>	<b>33</b>




**Strong moments.  
Beautiful moments.**

The influence of Norway's majestic panorama can be felt in all BerryAlloc high pressure floors, crafted to deal with extremes. Incredibly tough yet exceptionally beautiful, our high pressure floors will help you create your picture-perfect room.

From breathtaking Nordic ravines to the buzzing streets of Paris, and everywhere in between: our designers have looked far and wide to create a collection to inspire new experiences.

Do you have a specific interior look in mind? There's a big chance you'll find what you're looking for here. With 74 decors spread over three different collections, you can choose between an extensive selection of wood, stone, or concrete. There are also several formats available, from standard size to extra-long and extra-wide.

At BerryAlloc, we prioritise high quality and design, because you deserve nothing less. Let happiness inside with our high pressure floors. After all, our floors are made for moments of joy. Carefree moments of joy.



## Our planet, our priority.

At BerryAlloc, respecting the environment is one of our biggest priorities. As a company, we strive to use as little waste as possible. Products are strategically manufactured in Europe to reduce our carbon footprint. Our high pressure floors are PEFC-certified (Programme for the Endorsement of Forest Certification), supporting the promotion of Sustainable Forest Management.

## Scandinavian beauty & design.



### Innovation and quality for a healthier home.

Ensuring a healthy indoor air quality is one of our biggest priorities – we want you to be happy and healthy! That’s why we produce our floors with as little VOCs (Volatile Organic Compounds) as possible and to this day, our patented systems are abundant in ecofriendly features. On top of these achievements, we also established a strict policy to ban the use of tropical timber.

Every high pressure floor is made in Norway – a label we’re proud to wear. Coming from the land of majestic nature, there’s no doubt that our high pressure floors reflect the beauty and strength of Scandinavian design and technology. The entire creation process, from concept and design to manufacturing and packaging, takes place in our plant in Lyngdal, Norway, under the careful eye of our dedicated experts.



# Floors for all spaces.

... and for all kinds of lifestyles, too. That's why our high pressure floors are tough. These premium quality floors will withstand all of life's daily challenges, whether you're dealing with high traffic in a commercial space or spending time at home with family, friends, and pets. Discover the main qualities that make these floors so long-lasting.



AluLoc Prime



## The strongest locks AluLoc Prime


One of a kind: our unique and patented aluminium locking system adds extra strength to these already solid floors.

AluLoc Prime, featuring on the short side of the planks of the Grand Avenue collection, is a new lock made of 100% recycled polymer.

In fact, you don't even need to use an expansion profile for areas up to 15 x 15 m. Got a heavy-traffic commercial space? This is the floor for you.



AluLoc Prime



## Extremely impact resistant

Whoops, something heavy fell on the floor. No worries! The thick, high quality surface has a super-strong protection layer. It can withstand serious impact and still remain mark-free and undamaged.



## SilentSystem

With a sound-absorbing underlay attached underneath the floor board, noise is reduced by more than 19 decibels. Plus, the built-in underlay means you don't have to worry about choosing and installing a separate underlay. All-in-one for a smooth and simple installation.



## Scratch resistant

An AC6 wear layer offers the highest protection available in this class. These floors are extremely scratch and stain-resistant, so completely suited for intense commercial traffic or a busy home life.



## Water resistant

Spilled something on the floor? Did the rain get inside? No problem. The robust water-resistant top layer protects both the surface and the bevels. The product core is fully water resistant as well.



## Easy to install

The strongest lock and the easiest installation system! Just push down the planks and our patented aluminium lock fixes the plank into place. Super simple and ready in no time.



## Lifetime warranty

Rigorously tested for strength, water resistance, impact damage, fading and discolouration, as well as stability and wear, we wholeheartedly confirm that this floor meets the conditions of a lifetime warranty for residential use. Totally in love with your floor? You can even take it with you to your next home and re-use it there. Long-lasting and sustainable!




## Easy to maintain


Our high pressure floors require minimal effort and are very easy to clean. They will remain in pristine condition for years to come.

# Pick a size.

Our Grand Majestic and Grand Avenue collections will undoubtedly make your room look even more grand with XL plank sizes. Or would you prefer a more standard size? Then the Original collection is what you're looking for.



# Pick a surface.





**Something  
for everyone.**

**Original** Limestone Sand (hallway)  
**Original** White Pine (kitchen)



**This is  
Original.**

Original – the collection that started the legacy of our BerryAlloc high pressure floors, and the most accessible way to enjoy their world-class strength.

With its 44 decors, this collection will take you on a global adventure in style. Find your favourite colour amongst various wood and stone designs. Looking for a shipdeck pattern? Or a sleek, concrete look? Our Original collection has it all, bringing a unique look and authentic feel to busy homes and businesses.

**/ original.**



**HighTech  
Loc**



**extreme  
scratch  
& impact  
resistant**



**water  
resistant**



**Voss Oak  
62002007**  
2 bevels  
Wood structure  
oiled touch  
Skirting 63001971  
T-profile 63001989



**Light Oak  
62001355**  
2 bevels  
Wood structure  
oiled touch  
Skirting 9320-8531  
T-profile 9411-8531



**Beach Oak  
62002120**  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002935  
T-profile 63002966



**White Pine  
62001354**  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002296  
T-profile 63002298



**Blonde Oak  
62002137**  
No bevels  
Wood structure  
oiled touch  
Skirting 63002933  
T-profile 63002964



**Barrel Oak  
62002134**  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002929  
T-profile 63002960



**Berlin Oak  
62001420**  
2 bevels  
Wood structure  
Skirting 9320-8520  
T-profile 9411-8520



**Butterscotch Oak  
62002122**  
2 bevels  
Wood structure  
oiled touch  
Skirting 63002937  
T-profile 63002968



**Bond Oak  
62001380**  
2 bevels  
Wood structure  
oiled touch  
Skirting 63001978  
T-profile 63001996



**Oslo Oak  
62001382**  
4 bevels  
Wood structure  
oiled touch  
Skirting 9320-4411  
T-profile 9411-4411



**Indian Summer Oak  
62002123**  
2 bevels  
Wood structure  
oiled touch  
Skirting 63002938  
T-profile 63002969



**Vintage Oak  
62002135**  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002930  
T-profile 63002961



**Dune Oak  
62002121**  
2 bevels  
Wood structure  
oiled touch  
Skirting 63002936  
T-profile 63002967



**Spring Oak  
62001357**  
2 bevels  
Wood structure  
oiled touch  
Skirting 9320-4491  
T-profile 9411-4491



**Elegant Natural Oak  
62001238**  
2 bevels  
Wood structure  
oiled touch  
Skirting 9320-4471  
T-profile 9411-4471



**Amber Oak  
62002128**  
No bevels  
Wood structure  
oiled touch  
Skirting 63002932  
T-profile 63002963



**Golden Oak  
62002129**  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002934  
T-profile 63002965



**Canyon Light Oak  
62001358**  
2 bevels  
Wood structure  
oiled touch  
Skirting 9320-8520  
T-profile 9411-8520

**What's  
your  
colour?**



**Chicago Elm  
62001361**  
2 bevels  
Wood structure  
oiled touch  
Skirting 63001658  
T-profile 63001659



**Copenhagen Oak  
62002005**  
2 bevels  
Wood structure  
oiled touch  
Skirting 9320-4401  
T-profile 9411-4401



**Grey Wash Oak  
62002125**  
2 bevels  
Wood structure  
oiled touch  
Skirting 63002940  
T-profile 63002971



**Elegant Soft Grey Oak  
62001352**  
2 bevels  
Oiled touch  
Skirting 9320-4461  
T-profile 9411-4461



**Pecan Oak**  
62002124  
2 bevels  
Wood structure  
oiled touch  
Skirting 63002939  
T-profile 63002970



**Havana Oak**  
62002136  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002931  
T-profile 63002962



**Manhattan Oak**  
62001360  
2 bevels  
Wood structure  
oiled touch  
Skirting 9320-8530  
T-profile 9411-8530



**New Age Walnut**  
62002126  
No bevels  
Wood structure  
Skirting 63002954  
T-profile 63002985



**Silver Oak 2 str**  
62001397  
No bevels  
Wood structure  
oiled touch  
Skirting 63002297  
T-profile 63002299



**Natural Oak 2 str**  
62001391  
No bevels  
Wood structure  
oiled touch  
Skirting 9320-4592  
T-profile 9411-4592



**Limestone Sand**  
62002132  
20 x 40 cm  
Low gloss concrete  
Skirting 63002944  
T-profile 63002975



**Limestone Grey**  
62002131  
20 x 40 cm  
Low gloss concrete  
Skirting 63002943  
T-profile 63002974



**Blackstone**  
62002130  
20 x 40 cm  
Low gloss concrete  
Skirting 63002942  
T-profile 63002973



**Dolomites**  
62002142  
No bevels  
Low gloss concrete  
Skirting 63002946  
T-profile 63002977



**Himalaya**  
62002143  
No bevels  
Low gloss concrete  
Skirting 63002947  
T-profile 63002978



**Atlas**  
62002141  
No bevels  
Low gloss concrete  
Skirting 63002945  
T-profile 63002976



**Smoked Oak 2 str**  
62001390  
No bevels  
Wood structure  
oiled touch  
Skirting 9320-5522  
T-profile 9411-5522



**White Oak 2 str**  
62001384  
No bevels  
Oiled touch  
Skirting 9320-5113  
T-profile 9411-5113



**Skagen Oak 2 Str**  
62001385  
No bevels  
Oiled touch  
Skirting 63001971  
T-profile 63001989



**White Oiled Ash 3 str**  
62001394  
No bevels  
Oiled touch  
Skirting 9320-5113  
T-profile 9411-5113



**Classical Oak 3 str**  
62002139  
No bevels  
Wood structure  
Skirting 9320-8520  
T-profile 9411-8520



**Hasta La Vista**  
62001404  
No bevels  
Brushed  
Skirting\* 9320-4411  
T-profile\* 9411-5522



**Light Oak Shipdeck**  
62001356  
Shipdeck  
Wood structure  
oiled touch  
Skirting 9320-8531  
T-profile 9411-8531



**White Oiled Oak Shipdeck 2 str**  
62001396  
Shipdeck  
Wood structure  
oiled touch  
Skirting 9320-3675  
T-profile 9411-3675



**Bergen Oak Shipdeck**  
62002013  
Shipdeck  
Wood structure  
oiled touch  
Skirting 63001976  
T-profile 63001994



**Oiled Teak Shipdeck 2 str**  
62001393  
Shipdeck  
Oiled touch  
Skirting 9320-4862  
T-profile 9411-4862

## Find your dream floor.



# This is Grand Avenue.

With spectacular extra-long planks of 2,4 metres, Grand Avenue evokes a wonderful feeling of space in any room.

A world of twenty-two different wood decors awaits you. Echoing the iconic boulevards of global city destinations, Grand Avenue sets the tone for a refined ambience. You'll find a style that's sure to delight, in a size that's made to impress.

Bring the world into your living room and walk the star-studded global promenades every day with this first-class collection.

Grand Avenue Broadway



Grand Avenue Via Monte

Inspired by  
the world's  
most iconic  
boulevards.

Grand Avenue Via Monte

# / grand avenue.




AluLoc  
Prime



extreme  
scratch  
& impact  
resistant



water  
resistant



extra  
long



**La Rambla**  
62002592  
4 bevels  
Wood structure  
oiled touch  
Skirting 9320-5581  
T-profile 9411-5581



**Magnificent Mile**  
62002595  
4 bevels  
Wood structure  
oiled touch  
Skirting 63001658  
T-profile 63001659



**Maiden Lane**  
62002602  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002956  
T-profile 63002987



**Nyhavn**  
62002603  
4 bevels  
Wood structure  
oiled touch  
Skirting 9320-4401  
T-profile 9411-4401



**Madison Avenue**  
62002591  
4 bevels  
Wood structure  
oiled touch  
Skirting 63000758  
T-profile 63000764



**Wall Street**  
62002597  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002952  
T-profile 63002983



**Leninsky Prospekt**  
62002599  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002953  
T-profile 63002984



**Rodeo Drive**  
62002560  
4 bevels  
Wood structure  
oiled touch  
Skirting 63000756  
T-profile 63000769



**Ku'Damm**  
62002579  
4 bevels  
Wood structure  
oiled touch  
Skirting 9320-8520  
T-profile 9411-8520



**Potsdamer**  
62002594  
4 bevels  
Wood structure  
oiled touch  
Skirting 9320-8520  
T-profile 9411-8520



**Ventura Boulevard**  
62002605  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002957  
T-profile 63002988



**Via Veneto**  
62002590  
4 bevels  
Wood structure  
oiled touch  
Skirting 63000757  
T-profile 63000770



**Royal Mile**  
62002604  
4 bevels  
Wood structure  
oiled touch  
Skirting 63000754  
T-profile 63000762



**Penny Lane**  
62002589  
4 bevels  
Wood structure  
oiled touch  
Skirting 63000755  
T-profile 63000763



**Champs Elysées**  
62002559  
4 bevels  
Wood structure  
oiled touch  
Skirting 9320-8541  
T-profile 9411-8541



**La Fayette**  
62002593  
4 bevels  
Wood structure  
oiled touch  
Skirting 9320-8541  
T-profile 9411-8541



**Via Monte**  
62002601  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002955  
T-profile 63002986



**Sunset Boulevard**  
62002587  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002296  
T-profile 63002298

**What's  
your  
colour?**



**Abbey Road**  
62002598  
4 bevels  
Wood structure  
oiled touch  
Skirting 9320-4411  
T-profile 9411-4411




**Embassy Row**  
62002596  
4 bevels  
Wood structure  
oiled touch  
Skirting 9320-4461  
T-profile 9411-4461



**Ginza**  
62002600  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002954  
T-profile 63002985



**Broadway**  
62002588  
4 bevels  
Wood structure  
oiled touch  
Skirting 9320-8530  
T-profile 9411-8530



**Great spaces,  
cosy places.**


Grand Majestic Katla Arctic

# This is Grand Majestic.

The name of this collection says it all: awe-inspiring sizes and supreme quality.

With its 2,4 metres long and 30 cm wide planks, Grand Majestic creates a wonderful feeling of open space. The eight different decors capture realistic wood structures and beautiful designs, topped off with a glamorous oil finish.


This collection fully captures the calming influence of nature with the strength to handle everything life throws at it.



# / grand majestic.



**Etna Dark Brown**  
62002609  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002837  
T-profile 63002843



**Etna Brown**  
62002608  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002836  
T-profile 63002842



**Etna Light Brown**  
62002607  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002835  
T-profile 63002841



**Etna Grey**  
62002613  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002948  
T-profile 63002979



**Katla Natural Honey**  
62002567  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002840  
T-profile 63002846



**Katla Nordic**  
62002611  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002949  
T-profile 63002980



**Katla Natural**  
62002610  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002839  
T-profile 63002845



**Katla Arctic**  
62002612  
4 bevels  
Wood structure  
oiled touch  
Skirting 63002950  
T-profile 63002981

**Embrace  
the majesty  
of nature.**



AluLoc  
Prime



extreme  
scratch  
& impact  
resistant



water  
resistant



extra  
long



extra  
wide



Grand Majestic Katla Arctic

# Made for public spaces.

There is no floor more suitable for public spaces than the world's strongest floor. The unique qualities of a high pressure floor allows it to withstand intense traffic while remaining in tip-top shape. Discover the floors that work best in this setting: they're ready to take on restaurants, hotels, shopping malls... even airport terminals!



Grand Avenue Potsdamer


**With over one million passengers visiting the airport, we needed a strong floor in our travel lounge. After three years, our high pressure floor still looks completely new, with no damage whatsoever.**

– Arne Johan Johnsen  
Airport Managing Director  
KRISTIANSAND LUFTHAVN, KJEVIK

## / original.



**Classical Oak 3 str**  
62002139  
No bevels  
Wood structure  
Skirting 9320-8520  
T-profile 9411-8520




**Berlin Oak**  
62001420  
2 bevels  
Wood structure  
Skirting 9320-8520  
T-profile 9411-8520



**New Age Walnut**  
62002126  
No bevels  
Wood structure  
Skirting 63002954  
T-profile 63002985



**Limestone Sand**  
62002132  
20 x 40 cm  
Low gloss concrete  
Skirting 63002944  
T-profile 63002975



**Limestone Grey**  
62002131  
20 x 40 cm  
Low gloss concrete  
Skirting 63002943  
T-profile 63002974



**Blackstone**  
62002130  
20 x 40 cm  
Low gloss concrete  
Skirting 63002942  
T-profile 63002973



**Dolomites**  
62002142  
No bevels  
Low gloss concrete  
Skirting 63002946  
T-profile 63002977



**Himalaya**  
62002143  
No bevels  
Low gloss concrete  
Skirting 63002947  
T-profile 63002978



**Atlas**  
62002141  
No bevels  
Low gloss concrete  
Skirting 63002945  
T-profile 63002976

## / grand avenue.



**Maiden Lane**  
62002602  
4 bevels  
Wood structure  
Skirting 63002956  
T-profile 63002987



**La Fayette**  
62002593  
4 bevels  
Wood structure  
Skirting 9320-8541  
T-profile 9411-8541



**Potsdamer**  
62002594  
4 bevels  
Wood structure  
Skirting 9320-8520  
T-profile 9411-8520



**Madison Avenue**  
62002591  
4 bevels  
Wood structure  
Skirting 63000758  
T-profile 63000764

# Made for public spaces.

## Our sustainability certifications

Our high pressure floors carry a number of sustainability certifications. Discover them below.

### Environmental Product Declaration (EPD)

A product-specific EPD in accordance with the ISO 14025 and EN 15804. The EPD declaration number is EPD-BAC-20150179-CBA1-EN.

### BREEAM INTERNATIONAL

High Pressure Floors contribute by earning up to 17 BREEAM credits in 5 different categories.

### Nordic Ecolabelling Portal

The Grand Majestic, Grand Avenue, and Original products are listed in the construction material database used for buildings with the Nordic Swan Ecolabel.

### PEFC

All our wood is sourced from sustainably managed forests (PEFC Certified) that meet the strictest environmental, social, and economic requirements.

### M1

Granted by the Building Information Foundation RTS sr.

### Other certifications

CE, REACH, ISO 9001 (quality management), ISO 14001 (environmental management), fire resistance class Bfl-s1, phthalate-free.



## Did you know?

Our high pressure floors have an AC6 overlay, which makes them very resistant against wear and tear.

## Pioneering technology

In 1996, our HPF plant revolutionised the flooring industry with the first glue-free locking system. The supreme technology is a key reason why these floors are ideal for commercial use.



extreme scratch & impact resistant	water resistant	SilentSystem	easy maintenance
easy installation	AluLoc Prime	large areas	10 years warranty commercial



## Reference list

reference	location	collection	m <sup>2</sup>
Premium Apple dealers*	worldwide	Original	5000 m <sup>2</sup>
Volkswagen*	worldwide	Original	80 000 m <sup>2</sup>
Heathrow Airport	London, UK	Original	180 m <sup>2</sup>
AC Bella Sky Hotel	Copenhagen, Denmark	Original	10 000 m <sup>2</sup>
Crowne Plaza Hotels	Istanbul, Turkey	Original	6000 m <sup>2</sup>
Caresse Resort & Spa	Bodrum, Turkey	Original	5000 m <sup>2</sup>
Kjevik Airport Kristiansand	Kjevik, Norway	Grand Avenue	200 m <sup>2</sup>
Madrid Airport	Madrid, Spain	Original	900 m <sup>2</sup>
Sandton Hotel Ghent	Belgium	Original	1000 m <sup>2</sup>
Emerald Harmony Cruise Ship	Vietnam	Grand Avenue	1 551 m <sup>2</sup>
Riviera Marriott Hotel	Monaco, France	Original	2000 m <sup>2</sup>

(\*) in a selected number of shops worldwide




Original Beach Oak



Grand Avenue Ginza

# Pick your accessories.

## Matching skirtings & T-profiles



### 60 mm matching skirting

Creates a perfectly matched wall finish.  
Installation: nail, glue, or clips.  
2400 x 14 x 60 mm (L x W x H)



### T-profile, matching

Matching transition profile between two floors of the same height.  
Adjustable to heights of 9 – 13 mm. Suitable for all our high pressure floors.  
2400 x 44 mm (L x W)



### Skirting clips

Easily install and remove skirtings without damaging your walls.  
Perfect for when you want to redecorate.

## Aluminium silver technical profiles




### Alu reducer profile

Ensures a seamless connection between floors of different heights or types (tiles, carpet, etc.).  
Adjustable to floors of heights 7 – 12,3 mm.  
2000 x 46 x 11,7 mm (L x W x H)



### Alu T-profile

Seamlessly connects two floors and hides expansion gaps.  
Adjustable to floors of heights 7 – 12,3 mm.  
2000 x 31,5 mm (L x W)



### Alu end profile

A neat finish for the edges of your high pressure floor.  
Adjustable to floors of heights 7 – 12,3 mm.  
2000 x 20 x 7 – 12,3 mm (L x W x H)



### Stairnose

Fits all BerryAlloc floors with a thickness between 7 – 14 mm. It is perfectly adapted to our high-tech locking system, and is mounted with overlap on our other floors. Available in two lengths: 1 metre and 2,4 metres.

## Installation & maintenance products



### Cleaner Ultra

The ideal cleaning product to maintain your high pressure floor.  
This antibacterial high pressure floors cleaner is suitable for first-time maintenance and regular use. Rinsing is not necessary. 1 litre.



### Starter Kit

The spacer blocks help maintain the correct distance between walls and floor during installation. The metal pull bar simplifies installation on the final plank of each row.



### Tapping Block

Used to install the BerryAlloc Original floors (HighTech Loc).  
Helps avoid damage to the locking system.



### Fillertwine

A base for sealant. Use Fillertwine to fill in all the gaps in the expansion joints to allow the floor to shrink and expand.

### Moisture barrier underlay

The moisture barrier underlay must always be used when installing BerryAlloc high pressure floors on top of PVC, linoleum, ceramic tiles, cement, and concrete surfaces.





# Technical info.

	Original	Grand Avenue	Grand Majestic
Lock system	HighTech Loc	AluLoc Prime	AluLoc
Residential use	class 23	class 23	class 23
Commercial use	class 34/AC6	class 34/AC6	class 34/AC6
Residential warranty	lifetime	lifetime	lifetime
Commercial warranty	10 years	10 years	10 years
Plank size (l x w)	1207 x 198 mm	2410 x 241 mm	2410 x 303 mm
Thickness	11 mm (incl. SilentSystem)	12,3 mm (incl. SilentSystem)	12,3 mm (incl. SilentSystem)
Box	8 planks – 1,9119 m <sup>2</sup> – 16,7 kg	4 planks – 2,3232 m <sup>2</sup> – 23,8 kg	3 planks – 2,1907 m <sup>2</sup> – 22,3 kg
Pallet	36 boxes – 68,83 m <sup>2</sup> – 622 kg	39 boxes – 90,61 m <sup>2</sup> – 959 kg	42 boxes – 92,01 m <sup>2</sup> – 977 kg

Please refer to our website for the full technical data sheet: [www.berryalloc.com](http://www.berryalloc.com)

Grand Avenue Leninsky Prospekt



**BERRY  ALLOC**

**BERRY**  **ALLOC**

**Floors for moments of joy.**

**Alloc AS**  
Fiboveien 26  
4580 Lyngdal, Norway  
T 38 34 22 00  
info@berryalloc.com

**berryalloc.com**

BerryAlloc — high pressure floors.

**high pressure floors.**